





Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 55\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$



SHENZHEN OPTICO COMMUNICATION CO., LTD.

Model	24F SCUPC-SCUPC SM G657A2 Fan-out Yellow LSZH CPR-Dca Cable						OP-24F-SCU-FOP-SM		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m		A4	1	CHECKED	Michael Liu	DATE	2025.05.07
						APPROVED	STEVEN Zhang	DATE	2025.05.07





Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 65\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$




SHENZHEN OPTICO COMMUNICATION CO., LTD.


Model	24F SCAPC-SCAPC SM G657A2 Fan-out Yellow LSZH CPR-Dca Cable						OP-24F-SCA-FOP-SM		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m		A4	1	CHECKED	Michael Liu	DATE	2025.05.07
						APPROVED	STEVEN Zhang	DATE	2025.05.07



Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$

		SHENZHEN OPTICO COMMUNICATION CO., LTD.							
Model	24F SCUPC-SCUPC OM1/2 Fan-out Orange LSZH CPR-Dca Cable						OP-24F-SCU-FOP-M1/2		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m		A4	1	CHECKED	Michael Liu	DATE	2025.05.07
						APPROVED	STEVEN Zhang	DATE	2025.05.07




Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$



SHENZHEN OPTICO COMMUNICATION CO., LTD.

Model	24F SCUPC-SCUPC OM3/4 Fan-out AQUA LSZH CPR-Dca Cable						OP-24F-SCU-FOP-M3/4		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m		A4	1	CHECKED	Michael Liu	DATE	2025.05.07
						APPROVED	STEVEN Zhang	DATE	2025.05.07




Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$



SHENZHEN OPTICO COMMUNICATION CO., LTD.

Model	24F SCUPC-SCUPC OM3/4 Fan-out Magenta LSZH CPR-Dca Cable						OP-24F-SCU-FOP-M3/4		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m		A4	1	CHECKED	Michael Liu	DATE	2025.05.07
						APPROVED	STEVEN Zhang	DATE	2025.05.07




Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$



SHENZHEN OPTICO COMMUNICATION CO., LTD.

Model	24F SCU-PC-SCUPC OM5 Fan-out Lime Green LSZH CPR-Dca Cable						OP-24F-SCU-FOP-M5		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m		A4	1	CHECKED	Michael Liu	DATE	2025.05.07
						APPROVED	STEVEN Zhang	DATE	2025.05.07